

XXXXXXXXXXXXXXXXXX



### Product Details

Item ID	SA9001
Item	XXXXXXXXXX
Item	Item XXXXX
Item	500,000 to 1,000,000 / Item
Item Item	1.5 XXXXXXXXXXXXXXXXXXXX 2.15 XXXXXXXXXXXXXXXXXXXX
Item	XXXXXXXXXXXX 35 Item
Item	T / T 30%XXXXXXXXXXXXXXXX
Item	XXXXXXXXXXXXXXXXXXXXXXXXXXXX
Item	1. XXXXXXXXXXXX 2. Item XXXXXXX Item Item Item 3. Item Q/C XXXXXXX 4. Item FDA Item



### More Product Pictures



# Machine pressed



**SGS**

**Test Report** No.: G2HG140621053CD-01 Date: Jun 24, 2014 Page 1 of 4

SHENZHEN SUNNYGLASSWARE CO., LTD  
 FMS01-502, BUXIN COMMERCIAL BUILDING, YON LAD, LUOHU DISTRICT, SHENZHEN,  
 GUANGDONG, CHINA

The following sample(s) was/were submitted and identified on behalf of the client as:

Sample Description	: DECORATOR GLASS
Buyer	: DPM FRAGRANCE
Country of Destination	: U.S.A
Test Performed	: Selected test(s) as requested by applicant
Sample Receiving Date	: Jun 11, 2014
Test Performing Date	: Jun 11, 2014 to Jun 16, 2014
1 Result(s)	: For further details, please refer to the following page(s)

## Contact us

0000000000.0000. 0000000000



Shenzhen Sunny Glassware Co., Ltd.

SUNNY

Kate Chen (*sales*)

**Email** sales35@Sunnyglassware.com

**Skype** Sunnyglassware033

**Office Tel.** +86-755-25643419(ext.609)



**Mobile** +86-(0)137-1047-9011

**WhatsApp** +86-(0)137-1047-9011



Everything is going on, but don't give up trying

### Similar Products Link





# Office & Sample Room

1992 年 20 年 4,000

2000, 2005, 2008, 2012, 2015, 2018, 2020

OEM/ODM



# Factory Show





© 2014 BY THE UNIVERSITY OF MICHIGAN LIBRARY SYSTEM