

□□□□

|      |  |
|------|--|
| □□   | □□□□   |
| □□   | □□□□   |
| □□   | □□□□□□□□   |
| □□□□ | 1. □□□□□□□□5□<br>2. □□□□□□□□□□15□  |
| □□   | □□□□24□36□□□□  |
| □□   | 500,000~1,000,000□/□   |
| □□□□ | □□□□□□□□35□  |
| □□□□ | T/T 30%□□□□□□□□□□□□  |
| □□   | □□□□□□□□□□□□□□□□   |
| □□□□ | 1□ □□□□□□<br>2□ □□□□□□□□<br>3□ □□□□□□<br>4□ □□□□□□   |
| □□□□ | 1. □□□□□□□□□□<br>2. □□□□□□□□□□□□□□□□□□□□<br>3. □□□□□□□□□□□□□□□□<br>4. □□□□□□□□□□<br>5. □□□□□□□□□□□□□□□□. |

□□□□

- 1□ □□□□□□580□□□□□□□□□□□□□□□□
- 2□ □□□□□□□□□□□□□□□□□□
- 3□ □□□□□□□□□□□□□□□□□□
- 4□ □□□□□□□□SGS,FDA,BV□LFGB□□

□□□□



□□□□

□□□□□□

□□□□□□□□



□□□□:



□□□□:





□□□□