


□□□□□□ □□□□□□ □□□□□□ □□ □□□□ □□□□□□ □□□□□□ □□□□□□
□□□□□□

Protect against wind and shock

Comfortable design has no pressure on the bridge of the nose



— • Why Choose Us • —



Can wear myopia glasses inside



Protect against wind and shock



Plain PC transparent lens



Suitable for large face



Breathable flank protection



Tether holes can be tethered to prevent shedding

— • Specifications • —

Title : safety goggles

Material : Polycarbonate PC

Color : transparent

Size : 150*55*120mm


Standards : European standard EN166

Weight : 42g


Function : Windproof, dustproof, splashproof, shockproof

Production level : Anti-high-speed particles 45 per second impact

Application : industrial place, laboratory, outdoor sports



— • Descriptions • —



Nose Frame

Comfortable design has no pressure on the bridge of the nose

Wide vision

Large frame transparent design, practical and generous, high definition, vision up to 180 degrees wide







Humanized design

Can overlay wearing myopia glasses

Protect against wind and shock

The lens are made of PC material ,
Windproof, dustproof, splashproof,
shockproof, Anti-high-speed particles
45 per second impact






Breathable flank

Wide and breathable design on both side of frame, wearing comfortably

Tether holes design

Tether holes can be tethered to prevent shedding



Test Report



ICS LABORATORIES
1000 Lakeside Drive
Waukegan, IL 60087
Phone: 815.496.6500
Fax: 815.496.6501
www.icslab.com

Test Item	Manufacturer	Model	Material	Color	Weight	Notes
1
2
3
4
5
6
7
8
9
10

TEST RESULTS

Test Item	Manufacturer	Model	Material	Color	Weight	Notes
1
2
3
4
5
6
7
8
9
10

TEST METHOD

...

TESTER
...

DATE
...

LABORATORY
...

All the test items are **qualified**

Related Products

