

### 314 0000000000



#### Product Details

Item ID	SGJD15041605
Item	Item
Item	Item
Item	500,000 to 1,000,000 Item
Item	Item 35 Item
Item	T/T Item 30% Item
Item	Item Item Item; Item
Item	1. Item 2. Item Item Item Item Item Item Item 3. Item 4. Item FDA Item



#### More Product Pictures





# Machine pressed



**SGS**

**Test Report** No.: G2H0140621053CD-01 Date: Jun 24, 2014 Page 1 of 4

SHENZHEN SUNNYGLASSWARE CO., LTD.  
 FMS01-503, BUXIN COMMERCIAL BUILDING, YON LAD, LUOHU DISTRICT, SHENZHEN,  
 GUANGDONG, CHINA

The following sample(s) was/were submitted and identified on behalf of the client as:

Sample Description	: DECORATOR GLASS
Buyer	: DPM FRAGRANCE
Country of Destination	: U.S.A
Test Performed	: Selected test(s) as requested by applicant
Sample Receiving Date	: Jun 11, 2014
Test Performing Date	: Jun 11, 2014 to Jun 16, 2014
1 Result(s)	: For further details, please refer to the following page(s)

□□□□

□□□□□□□□□□ □□□□. □□□□□□□□□□□□



Shenzhen Sunny Glassware Co., Ltd.

SUNNY

Kate Chen (sales)

**Email** sales35@Sunnyglassware.com

**Skype** Sunnyglassware033

**Office Tel.** +86-755-25643419(ext.609)

**Mobile** +86-(0)137-1047-9011


**WhatsApp** +86-(0)137-1047-9011



Everything is going on, but don't give up trying



### Similar Products Link



### Office & Sample Room

深圳市宝安区西乡街道 1992 年 11 月 1 日  
20 年深圳市宝安区西乡街道 1992 年 11 月 1 日  
深圳市宝安区西乡街道 1992 年 11 月 1 日  
深圳市宝安区西乡街道 1992 年 11 月 1 日

深圳市宝安区西乡街道 1992 年 11 月 1 日  
深圳市宝安区西乡街道 1992 年 11 月 1 日  
深圳市宝安区西乡街道 1992 年 11 月 1 日  
深圳市宝安区西乡街道 1992 年 11 月 1 日



XXXXXXXXXXXXXXXXXXXX XXXX  
XXX XXX OEM/ODM XXX



Factory Show







© 2014 BY THE UNIVERSITY OF MICHIGAN LIBRARY