

XXXXXXXXXX



| Product Details |                                                            |
|-----------------|------------------------------------------------------------|
| XXXXX           | SGDS16110323                                               |
| XX              | XXXXXXXXXX                                                 |
| XX&XX           | XXXXXXXXXX                                                 |
| XXXXX           | 1. 5XXXXXXXXXXXXX<br>2. 7XXXXXXXXXXXXXXXXX                 |
| XX              | 1. XXXXXXXX XXXXXXXX<br>2. XXXXXXXXXXXXXXXXXXXX            |
| XX              | 1. XXXXXXXX<br>2. XXXXXXXXXXXX<br>XXXXXXXXXXXXXXXXXXXXXXXX |

XXXXXXXXXXXX

XXXXXXXXXXXXXXXXXXXXXXXXXXXX5XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

XXXXX  
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

XXXXX&XX

- 1. XXXXXXXXXXXX35XX; 7XXXXXXXXXX
- 2. XXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXX

XXXXX

1.  $T / T_{30}$  温度修正係數  $B / L$  係數
2.  $L / C_T / T$  溫度修正係數



- 
- Engraving color

|  |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
|--|--|--|--|--|

1. 20mm 100mm
2. 符合 ASTM D5090-01 2008
3. 符合 QC 99mm
4. 10mm 1500mm; 35mm
5. 5000mm 300mm;









Similar Products Link





## Office & Sample Room

[.com](#) 1992 20 [tabkeware](#) 4,000  
 OEM / ODM





