

□□□□□□



Product Details

□□ ID	SGJBY1114
□□	□□□□
□□□	□□
□□	500,000 □ 1,000,000 / □
□□ □□	1.5 □□□□□□□□□□□□□□ 2.15 □□□□□□□□□□□□□□
□□□□	□□□□□□□□ 35 □
□□□□	T / T 30%□□□□□□□□□□□□
□□	□□□□□□□□□□□□□□□□
□□□□	1.□□□□□□□□□□ 2.□□□ □□□□□ □□□ □□□ □□□ 3.□□ Q/C □□□□□□□ 4.□□ FDA □□□□□□□



Machine pressed



SGS

Test Report No.: G2H0140621053CD-01 Date: Jun 24, 2014 Page 1 of 4

SHENZHEN SUNNYGLASSWARE CO., LTD.
 FMS01-503, BUXIN COMMERCIAL BUILDING, YON LAD, LUOHU DISTRICT, SHENZHEN,
 GUANGDONG, CHINA

The following sample(s) was/were submitted and identified on behalf of the client as:
 Sample Description : DECORATOR GLASS
 Buyer : DPM FRAGRANCE
 Country of Destination : U.S.A.
 Test Performed : Selected test(s) as requested by applicant
 Sample Receiving Date : Jun 11, 2014
 Test Performing Date : Jun 11, 2014 to Jun 16, 2014
 Test Result(s) : For further details, please refer to the following page(s)

Contact us

0000000000.0000. 0000000000



Shenzhen Sunny Glassware Co., Ltd.

SUNNY

Kate Chen *(sales)*

Email sales35@Sunnyglassware.com

Skype Sunnyglassware033

Office Tel. +86-755-25643419(ext.609)


Mobile +86-(0)137-1047-9011

WhatsApp +86-(0)137-1047-9011



Everything is going on, but don't give up trying

Similar Products Link



Office & Sample Room

1992 年 20 年 4,000

4,000

OEM/ODM



Factory Show





© 2014 BY THE UNIVERSITY OF MICHIGAN LIBRARY SYSTEM