

□□□□

| | |
|------|--|
| □□ | □□ |
| □□ | □□□□ |
| □□ | □□□□ |
| □□□□ | 1. □□□□□□□□5 2. □□□□□□□□□□15□ |
| □□ | □□□□□24□36□□□□ |
| □□ | 500,000~1,000,000□/□ |
| □□□□ | □□□□□□□□35□ |
| □□□□ | T/T 30%□□□□□□□□□□□□ |
| □□ | □□□□□□□□□□□□□□□□ |
| □□□□ | 1□ □□□□□□ 2□ □□□□□□□□ 3□ □□□□□□ 4□ □□□□□□ |
| □□□□ | 1. □□□□□□□□□□ 2. □□□□□□□□□□□□□□□□□□□□ 3. □□□□□□□□□□□□□□□□ 4. □□□□□□□□□□ 5. □□□□□□□□□□□□□□□□. |

□□□□

- 1□ □□□□□□580□□□□□□□□□□□□□□□□□
- 2□ □□□□□□□□□□□□□□□□
- 3□ □□□□□□□□□□□□□□□□
- 4□ □□□□□□□□SGS,FDA,BV□LFGB□□

□□□□



□□□□



□□□□□



□□□

□□□□



□□□□



□□□□