




□□□□



□□□□





Machine pressed



SGS
Test Report No. GZHO1406021053CD-01 Date: Jun 24, 2014 Page 1 of 4
 SHENZHEN SUNNYGLASSWARE CO., LTD
 FASHI-001, 30/01 COMMERCIAL BUILDING, YUN LOAD, LUOBU DISTRICT, SHENZHEN,
 GUANGDONG, CHINA

The following sample(s) was/were submitted and identified on behalf of the client as:
 Sample Description : DECORATOR GLASS
 Buyer : DFM FRAGRANCE
 Country of Destination : U.S.A
 Test Performed : Selected test(s) as requested by applicant
 Sample Receipting Date : Jun 11, 2014
 Test Performing Date : Jun 11, 2014 to Jun 16, 2014
 1 Result(s) : For further details, please refer to the following page(s)



FDA







□□□□□



□□□□

□□□□□□□□

2. □□□□□□□□□□□□

3. □□□□□□□□□□□□□□□□

□□□

1. □□□□□□□□□□□□□□□□

2. □□□□□□□□□□□□□□□□□□□□□□□□□□□□

3. □□□□□□□□□□□□

4. □□□□□□□□

5. □□□□□□□□□□□□□□□□

□□□□ □□.□□□□□□□□

□□□□□□□□□□<http://www.okcandle.com/>

□□□□□□□□□□□□□□□□ □□□□

