



Product Details

Item ID	SGLYP15061611
Brand	Generic
Form	Tablet
Strength	1.5mg/5mg 2.215mg/5mg
Quantity	4mg/48mg
Lot Size	500000
Expiry	35 days
Storage	30°C / T _{max} 40°C / T _{min} 2°C
Warnings	Do not use if you are pregnant or breastfeeding
Instructions	<ol style="list-style-type: none">1. Take 1 tablet 2 times a day2. With or without food3. Swallow whole4. Do not crush, chew, or break; CA 65 mg
Side Effects	<ol style="list-style-type: none">1. Dizziness2. Headache3. Nausea4. Stomach pain5. Constipation









Similar Products Link



□□□□□□



□□□□□□



□□□□□

Office & Sample Room



Factory Show





□□□□□□□□

1. □□□□□□□□□□□□□□□□□□
2. □□□□□□□□□□□□□□□□
3. □□□□□□□□□□□□□□

□□□□

1. □□□□□□□□
2. □□□□□□□□□□
3. □□□□□□□□□□□□□□□□

□□□□

1. □□□□□□□□□□□□□□□□
2. □□□□□□□□□□□□□□□□
3. □□□□□□□□□□
4. □□□□□□□□
5. □□□□□□□□□□□□□□□□

□□□□ □□□□ □□□□□□

□□□□□□□□ <http://www.okcandle.com/>

□□□□□□□□□□□□□□ □□□□ □□□□