

XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

Sunny Glass Wares OEM / ODMXXXXXXXXXXXXXXXXXXXXXXXXXXXX



XXXXXXXXXX

XXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXX
XX XX	1. 5XXXXXXXXXXXX 2. 15XXXXXXXXXXXXXXXXXXXX

<p>□□</p>	<p>□□□SGHY22090102  □  □□□80mm  □□□19mm  □□□92□  □  □□□□81mm  □□□□49mm  □□□65mm  □□□262□  □□□155□□</p>
<p>□□</p>	<p>□□□□□□□□□□PVC□□□□□□□□□□□□</p>
<p>□□ □□</p>	<p>□□□□□□□□□□35□□</p>
<p>□□ □□</p>	<p>□□t/t□30□□□□□□□□b/l□□□□</p>
<p>□□</p>	<p>□□□□□□□□□□Express□□□□□□□□□□</p>
<p>□□□□</p>	<p>□□□□□□□□□□□□□□□□□□</p>









## Company Profile



**Sunny Glassware** was established by Frank and Alice for more than 25 years, which provide a leading excellent combination between prices, quality & responsiveness in glassware industry.

Sunny keep engaged in glassware designing and manufacturing, there are more than 10 product lines available from hand blown craft to machine pressed, machine blown and IS machine made etc., and various kinds of deep processing technologies can be customized such as color sprayed, laser printing, decal print, electroplate, frosted, screen printing, sandblasted and ion plating etc. **ISO 9001:2008/2015, Enterprise Intellectual Property** and **Green & Social Compliance Statement** certificates were issued by the third-party certification companies.

There are about 5,000 items which cover all daily-used glassware and ceramic ware, e.g. candle holders, borosilicate glass, bottles, tumblers, jars, stemware, tableware & drinkware, bathroom accessories etc. The products can meet **FDA, LFGB, CA 65, ASTM, dishwasher test**.

With a strictly control system on product quality and customer service, our exporting market have expanded rapidly to North & South America, Europe, Oceania and Asia.

Our business scopes are mainly involved in home decor, gift crafts and tableware. There are **approximately 80% candle holders in USA luxury branded companies** were imported from Sunny Glassware.



Sunny Glassware ISO 9001:2008/2015



ISO 9001 2015



□□□□□□



□□□□201630655323.4







□□□□

---

# PACKAGING & SHIPPING



