

XXXXXXXXXXXXXXXXXX



Product Details

Item ID	SGHY01109
Item	Item
Item	Item
Item	500,000 - 1,000,000 / Item
Item Item	1.5 Item 2.15 Item
Item	Item 35 Item
Item	T / T 30% Item
Item	Item
Item	1. Item 2. Item Item Item Item 3. Item Q/C Item 4. Item FDA Item



Machine pressed



SGS

Test Report No.: G2H0140621053CD-01 Date: Jun 24, 2014 Page 1 of 4

SHENZHEN SUNNYGLASSWARE CO., LTD.
 FMS01-503, BUXIN COMMERCIAL BUILDING, YON LAD, LUOHU DISTRICT, SHENZHEN,
 GUANGDONG, CHINA

The following sample(s) was/were submitted and identified on behalf of the client as:

Sample Description	: DECORATOR GLASS
Buyer	: DPM FRAGRANCE
Country of Destination	: U.S.A
Test Performed	: Selected test(s) as requested by applicant
Sample Receiving Date	: Jun 11, 2014
Test Performing Date	: Jun 11, 2014 to Jun 16, 2014
1 Result(s)	: For further details, please refer to the following page(s)

Contact us

0000000000.0000. 0000000000



Shenzhen Sunny Glassware Co., Ltd.

SUNNY

Kate Chen *(sales)*

Email sales35@Sunnyglassware.com

Skype Sunnyglassware033

Office Tel. +86-755-25643419(ext.609)

Mobile +86-(0)137-1047-9011


WhatsApp +86-(0)137-1047-9011



Everything is going on, but don't give up trying



Similar Products Link





Office & Sample Room

1992 年 20 年 4,000

tabkeware, 4,000

QC assurance OEM/ODM service



Factory Show





© 2014 BY THE UNIVERSITY OF MICHIGAN LIBRARY SYSTEM