


**Schutzbrille Transparente stoßfeste Brille für Coronavirus-Schutz**

# **Protect against wind and shock**

Comfortable design has no pressure on the bridge of the nose

---



## — • Why Choose Us • —



Can wear myopia glasses inside



Protect against wind and shock



Plain PC transparent lens



Suitable for large face



Breathable flank protection



Tether holes can be tethered to prevent shedding

## — • Specifications • —

Title : safety goggles

Material : Polycarbonate PC

Color : transparent

Size : 150\*55\*120mm


Standards : European standard EN166

Weight : 42g


Function : Windproof, dustproof, splashproof, shockproof

Production level : Anti-high-speed particles 45 per second impact

Application : industrial place, laboratory, outdoor sports



## — • Descriptions • —



### **Nose Frame**

Comfortable design has no pressure on the bridge of the nose

### **Wide vision**

Large frame transparent design, practical and generous, high definition, vision up to 180 degrees wide







## Humanized design

Can overlay wearing myopia glasses

## Protect against wind and shock

The lens are made of PC material ,  
Windproof, dustproof, splashproof,  
shockproof, Anti-high-speed particles  
45 per second impact






## Breathable flank

Wide and breathable design on both side of frame, wearing comfortably

## Tether holes design

Tether holes can be tethered to prevent shedding



# Test Report



**ICS LABORATORIES**  
 475, rue 500  
 Boulevard de la Technologie, L3R 9V9  
 Québec, Québec  
 (514) 353-3333  
 www.icslab.com

Ref.	Client								
1234	Client A	1235	Client B	1236	Client C	1237	Client D	1238	Client E

**Client:** \_\_\_\_\_

**Address:** \_\_\_\_\_

**City:** \_\_\_\_\_

**Province:** \_\_\_\_\_

**Country:** \_\_\_\_\_

**Product:** \_\_\_\_\_

**Material:** \_\_\_\_\_

**Quantity:** \_\_\_\_\_

**Lot:** \_\_\_\_\_

**Manufacturer:** \_\_\_\_\_

**Test Method:** \_\_\_\_\_

**Test Results:**

Item	Value	Unit	Pass/Fail
1	100	%	Pass
2	50	mm	Pass
3	20	mm	Pass
4	15	mm	Pass
5	10	mm	Pass
6	5	mm	Pass
7	3	mm	Pass
8	2	mm	Pass
9	1	mm	Pass
10	0.5	mm	Pass

**Tested By:** \_\_\_\_\_

**Reviewed By:** \_\_\_\_\_

**Date:** \_\_\_\_\_

**QUALIFICATION**

1. The test method used for this test is qualified.

2. The test method used for this test is qualified.

3. The test method used for this test is qualified.

4. The test method used for this test is qualified.

5. The test method used for this test is qualified.

6. The test method used for this test is qualified.

7. The test method used for this test is qualified.

8. The test method used for this test is qualified.

9. The test method used for this test is qualified.

10. The test method used for this test is qualified.

All the test items are **qualified**

## Related Products

