

1. 請 詳 閱 圖 說 說 明 書。
2. 材 質: 高 清 透 明 無 色 聚 碳 酸 乙 烯 板
3. 工 藝: 高 清 透 明 無 色 聚 碳 酸 乙 烯 板 精 確 磨 切 Engraving 工 藝
4. 色 澤: 高 清 透 明 無 色 聚 碳 酸 乙 烯 板 color 色 澤 均 勻, 無 色 差 變 化 現 象

參 數 表

1. 厚 度: 20 公 分 米 以 內 均 可
2. 標 準: ASTM ISO9001:2008
3. 透 光 率: 高 清 透 明 無 色 聚 碳 酸 乙 烯 板 99% 透 光 率 均 勻
4. 尺 寸 規 格: 10 1500 公 分 米 以 內 35 公 分 米 以 內
5. 耐 火 性: 耐 火 性 5000 公 分 米 以 內 300 公 分 米 以 內

備 註

如 有 任 何 疑 問 請 參 閱 [FAQ](#) 或 聯 繫 Cicy 售 後 服 務。



Shenzhen Sunny Glassware Co., Ltd.

SUNNY *Cicy Lin (sales)*

Email	<i>sale38@sunnyglassware.com</i>
Skype	<i>sunnyglassware38</i>
Office Tel.	<i>+86-755-25643419(ext. 603)</i>
Mobile	<i>+86-(0)159-8860-8578</i>
WhatsApp	<i>+86-(0)159-8860-8578</i>



Everything is going on, but don't give up trying.


[More Product Pictures](#)







□□□□□□□□□□





Similar Products Link



Office & Sample Room

... 1992 ... 20 ... tabkeware ... 4,000 ... QC team ... assurance OEM/ODM service





