



Machine pressed



SGS

Test Report No.: G2H0140621053CD-01 Date: Jun 24, 2014 Page 1 of 4

SHENZHEN SUNNYGLASSWARE CO., LTD
 FMS01-502, BUXIN COMMERCIAL BUILDING, YON LAD, LUOHU DISTRICT, SHENZHEN,
 GUANGDONG, CHINA

The following sample(s) was/were submitted and identified on behalf of the client as:

Sample Description	: DECORATOR GLASS
Buyer	: DPM FRAGRANCE
Country of Destination	: U.S.A
Test Performed	: Selected test(s) as requested by applicant
Sample Receiving Date	: Jun 11, 2014
Test Performing Date	: Jun 11, 2014 to Jun 16, 2014
1 Result(s)	: For further details, please refer to the following page(s)

Contact us

□□□□□□□□□□□□□□□□□□□□□□□□ [FAQ](#) □□□□□□□□□□□□□□□□□□□□□□□□



Shenzhen Sunny Glassware Co., Ltd.

SUNNY

Kate Chen (*sales*)

Email sales35@Sunnyglassware.com

Skype Sunnyglassware033

Office Tel. +86-755-25643419(ext.609)



Mobile +86-(0)137-1047-9011

WhatsApp +86-(0)137-1047-9011



Everything is going on, but don't give up trying

Similar Products Link



Factory Show





© 2014 BY THE UNIVERSITY OF MICHIGAN LIBRARY SYSTEM