□□□□□□□□□

Product Details

□□□□	SGZW15042216
□□	□□□□□
□□□□	□□□□□□□□□ □□□□□□□□□
□□□□□□	1. 5□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□2 15□
□□□	□□□□□□□□□□□□□72pcs
□□□□□	□50□□1,000,000□
□□□□	□□□□□□□□□□□□□□□□35□□□□
□□□□	□□□□□□□□□□□□□□□□T / T 30□□□□□ B / L
□□	□□□□□□□□□□□□□Express□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□	1□ □□□□□□□□□□□ □□□□ 2.□□□□□□□□□□□□□□□□□□ 3.□□□□□□□□□□□□ LFGB□FDA□CA65□□□4.□□
□□□□□□□□□□	1.□□□□□□□□□□□□□□□□□□□ 2□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□3.□□□□□□□□ □ 4.□□□□□□□□□□□□□□□□□□□□□□□□□□□ 5.□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□

More Product Pictures

Machine pressed

SGS

Test Report No.: GZHG1406021053CD-01 Date: Jun 24, 2014 Page 1 of 4

SHENZHEN SUNNYGLASSWARE CO., LTD
RM501-503, BIJOIN COMMERCIAL BUILDING, YIXIN LOAD, LUOHU DISTRICT, SHENZHEN, GUANGDONG, CHINA

The following sample(s) was/were submitted and identified on behalf of the client as:

Sample Description	:	DECORATOR GLASS
Buyer	:	DPM FRAGRANCE
Country of Destination	:	U.S.A
Test Performed	:	Selected test(s) as requested by applicant
Sample Receiving Date	:	Jun 11, 2014
Test Performing Date	:	Jun 11, 2014 to Jun 16, 2014
Result(s)	:	For further details, please refer to the following page(s)

Similar Products Link

□□□□□□□

□□□□□□□□

□□□□□□□□□□□□□□□

Office & Sample Room

Factory Show

our team
深圳市美阳玻璃制品有限公司

Order Guide

01 Select Product
02 Send Inquiry
03 Offer
04 Negotiation
05 Sample Confirmed
06 Pay Deposit
07 Start Production
08 Production Finished
09 Pay Balance
10 Deliver Goods
11 Good Evaluation & Repeat Order
24/7

□□ □□□ □□□ □□□□□□□□□□

□□□□□□□□□□□□□□□□□□□ http://www.okcandle.com/

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□ □□□□□□