





Machine pressed



SGS

Test Report

No.: G2H0140621053CD-01 Date: Jun 24, 2014 Page 1 of 4

SHENZHEN SUNNYGLASSWARE CO., LTD.
RMS01-503, BUXIN COMMERCIAL BUILDING, YIXIN ROAD, LUOHU DISTRICT, SHENZHEN,
GUANGDONG, CHINA

The following sample(s) was/were submitted and identified on behalf of the client as:

Sample Description	: DECORATOR GLASS
Buyer	: DPM FRAGRANCE
Country of Destination	: U.S.A
Test Performed	: Selected test(s) as requested by applicant
Sample Receiving Date	: Jun 11, 2014
Test Performing Date	: Jun 11, 2014 to Jun 16, 2014
1 Result(s)	: For further details, please refer to the following page(s)

□□□□□□

□□□□□□□□□□□□□□□□□□□□ [FAQ](#) □□□□□□□□□□□□□□□□□□□□





Kate Chen (*sales*)

WhatsApp +86-(0)137-1047-9011



Everything is going on, but don't give up trying.

A clear glass tumbler with a thick base and a wide rim, set against a black background. The glass is empty and its reflection is visible on the surface it sits on.



1992 年 12 月 20 日
 1992 年 12 月 20 日
 1992 年 12 月 20 日
 1992 年 12 月 20 日

[illegible]

QC team
assurance OEM/ODM service



Factory Show





© 2014 MEI YANG GLASS PRODUCTS CO., LTD.