



□□□□□□

□□□□□□□□□□□□

□□□□□□□□□□□□□□□□80□

□ AQL□□□□6□□□□□□QC□□□□□

□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□
□□□□□□

- □□□□38mm
- □□□80mm
- □□□157mm
- □□□322g
- MOQ□3000pcs

□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□





透明玻璃

1. 透明玻璃的透光率
2. 透明玻璃的折射率
3. ASTM 透明玻璃的测试标准

玻璃工艺

1. 玻璃的切割和打磨
2. 玻璃的熔化和成型
3. 玻璃的退火和钢化
4. 玻璃的装饰和雕刻
5. 玻璃的回收和再利用

玻璃应用

- 玻璃幕墙
- 玻璃隔断
- 玻璃家具
- 玻璃装饰





ISO 9001 2015



IPMS



201630655323.4



Sunny Glassware 5000





□□ □□ □□



IS



Normally Open Mold Machine-Pressed Craft

MOQ

1.5 10mm

4 30mm

&

PACKAGING & SHIPPING





□□□□

1. □□□□□□□□□□
2. □□□□□□□□□□□□□□
3. □□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□

-
2. □□□□□□□□□□□□□□□□□□□□□□□□
3. □□□□□□□□□□
4. □□□□□□□□□□
5. □□□□□□□□□□□□□□□□□□□□

□□□ www.okcandle.com/ □□□□□□□□

