

XXXXXXXXXXXXXXXXXXXX



Product Details

<p>XXXX</p>	<p>XXXXX SGLYP18050316 XXXXX 124mm XXXXX 68mm XXX 111mm XXXXX 146mm XXX 1405g XXX 790ml MOQ 3000PCS</p> <p>XXXXXXXXX 7 XXXXXXXXXXXXXXX 30 XXXXXXXXXXX 24000 30000 XXXXXXXXXXX T / T 30 XXXXX B / L XXXXXXXXXXX</p>
<p>XXXXXXXXXX</p>	<p>XXXXXXXXXXXXXXXXXXXX 5XXXXXXXX XXXXXXXXXXXXXXXXXXXXXXX 2.10XXXX</p>
<p>XX</p>	<p>XXXXXXXXXX 2. LFGB SGS EUXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXX</p>

XXXX&XX

XXXXXXXXXXXX 35XX; 7XXXXXXXXXXXXXXXXXXXX
 XXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

XXXXXX

XXXXXXXX T / T XXXXX 30XX B / L XXXXXXXXXXXXXXX

2. L / C XXXXXXXXXXX T / T XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXXXX

1. XXXXXXXXXXXXXXX
 2. XXX E XXXXX
 XXX

XXXXXX

-
- 1. 20
 - 2. ASTM ISO9001 2008
 - 3. 99
 - 4. 10 15 35
 - 5. 500 300

 More Product Pictures





