

XXXXXXXXXXXXXXXXXXXXXXXXXXXX



Product Details

Product ID	SGLYP18102404
Material	Aluminum
Dimensions	Standard dimensions for aluminum profiles
Weight	1. Weight per meter is 5kg 2. Weight per meter is 15kg
Surface Treatment	Anodized 4000-4800
Length	500mm to 1000mm
Thickness	Standard thickness is 35mm
Standards	Complies with T / T30 standards B / L standards
Applications	Used in various industrial and construction applications
Properties	1. High strength and corrosion resistance 2. Excellent machinability 3. ASTM standards compliance
Advantages	1. Durable and long-lasting 2. Easy to install and maintain 3. Wide range of color options 4. Suitable for indoor and outdoor use 5. Recyclable material











□□□□□□□□□□□□□□□□□□□□



□□□□□□□□□□□□□□□□□□□□



□□□□□□□□□□□□□□□□□□□□



Factory Show

○○○○○○○○

- 1.○○○○○○○○○○○○○○○○○○○○
-
- 3.○○○○○○○○○○○○○○○○○○○○○○○○○○○○

○○○○○○

- 1.○○○○○○○○○○○○○○○○○○○○
- 2.○○○○○○○○○○○○○○○○○○○○
- 3.○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○

○○○○

- 1.○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○
-
-
-
- 5.○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○

○○○○○○○○○○○○○○○○○○○○

○○○○○○○○○○○○○○○○○○○○<http://www.okcandle.com/>

○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○ [○○○○○○](#)