



□□□□□□□□

□□□□□□□□□□□□□□

□□□□□□□□□□□□80□□□□□□□□

□ AQL Plus 6 □ QC □ □ □ □ □ □

□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□

TOP DIA □ 88mm
□□□□□□ □ 82mm
□□□ □ 100mm
□□□ □ 330g
□□□ □ 400ml

□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□





□□□□

- 1. □□□□□□□□□□□□□□□□
-
- 3. ASTM □□□□□□□□□□□□□□□□

□□□□□□□□

- 1. □□□□□□□□□□□□□□□□
- 2. □□□□□□□□□□□□□□□□
- 3. □□□□□□□□□□□□□□□□
-
- 4. □□□□□□□□□□□□
- 5. □□□□□□□□□□□□□□□□

□□□□□□

□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□

□□□□□□□□

□□□□□□□□





□□□□□□□□□□



ISO 9001 2015



IPMS



No 201630655323.4





□□□□□□□□



□□□□□□



□□□□□

□□□□□□

□□□□□

PACKAGING & SHIPPING



