



Product Details

Item Code	SGB5035
Brand	Item Code
Category	Item Code Item Code
Specifications	1. 5 Item Code Item Code 2. 15 Item Code
Weight	Item Code 36/48 / 72 pcs
Quantity	Item Code 1,000,000 Item Code
Lead Time	Item Code 35 Item Code
Material	30 Item Code T / T Item Code B / L
Shipping	Item Code Express Item Code
Notes	1. Item Code 2. Item Code 3. Item Code 4. Item Code LFGB FDA CA65 Item Code
Additional Info	Item Code 4- Item Code 2 .ANY Item Code Item Code 3. Item Code 4. Item Code 5. Item Code



More Product Pictures





Machine pressed



SGS

Test Report No.: G2H0140621053CD-01 Date: Jun 24, 2014 Page 1 of 4

SHENZHEN SUNNYGLASSWARE CO., LTD.
FMS01-503, BUXIN COMMERCIAL BUILDING, YON LAD, LUOHU DISTRICT, SHENZHEN,
GUANGDONG, CHINA

The following sample(s) was/were submitted and identified on behalf of the client as:

Sample Description	: DECORATOR GLASS
Buyer	: DPM FRAGRANCE
Country of Destination	: U.S.A
Test Performed	: Selected test(s) as requested by applicant
Sample Receiving Date	: Jun 11, 2014
Test Performing Date	: Jun 11, 2014 to Jun 16, 2014
1 Result(s)	: For further details, please refer to the following page(s)


[Similar Products Link](#)



□□□□□



□□□□



□□□□□□□□

Office & Sample Room



Factory Show





Order Guide





000 000-000 00000000000000
 0000000000000000 <http://www.okcandle.com/>
 0000000000000000000000000000 000 000000