

## skeleton glass cup

### Product Details

Item No.	SG150302126
Material	High white glass
Process	Machine pressed <a href="#">whisky glass</a>
Samples time	1. 5 days if at exist shaped and size of glass 2. 15 days if need new shape or size of glass
Packing	Normal packing,72pcs per carton
Product Capacity	500,000~1,000,000 pcs per month
Delivery time	Within 35 days after the sample and order confirmed
Payment terms	30% deposit by T/T in advance and the balance against the copy of B/L
Shipment	By sea, by air, by Express and your shipping agent is acceptable
Product Features	1. Machine pressed glass cup with high quality 2. Suitable for used in hotel, home, etc. 3. It is eco-friendly glass material 4. Meet LFGB,FDA,CA65 test
For your choices	1. Different designs and sizes for choice 2. Any color painted, frost, electroplate, pattern laser carver processing 3. Special package like shrink wrap, color gift box, white gift box etc. 4. We have exclusive workers for quality control 5. We have professional workshop and warehouse to ensure the delivery time

### More Product Pictures





# Machine pressed



**SGS**  
**Test Report** No.: G2H0140621053CD-01 Date: Jun 24, 2014 Page 1 of 4

SHENZHEN SUNNYGLASSWARE CO., LTD.  
FMS01-503, BUXIN COMMERCIAL BUILDING, YON LAD, LUOHU DISTRICT, SHENZHEN,  
GUANGDONG, CHINA

The following sample(s) was/were submitted and identified on behalf of the client as:

Sample Description	: DECORATOR GLASS
Buyer	: DPM FRAGRANCE
Country of Destination	: U.S.A
Test Performed	: Selected test(s) as requested by applicant
Sample Receiving Date	: Jun 11, 2014
Test Performing Date	: Jun 11, 2014 to Jun 16, 2014
1 Result(s)	: For further details, please refer to the following page(s)

  
[Similar Products Link](#)



**glass cup**



**clear glass**



**new design glasses**



Office & Sample Room



Factory Show





## Order Guide







# FDA



For more [glass](#) or any glassware,  
please visit our website: <http://www.okcandle.com/>  
Or here may help you know more about us: [FAQ](#)