

Windproof shockproof safety goggles protective glasses

Protect against wind and shock

Comfortable design has no pressure on the bridge of the nose



— • Why Choose Us • —



Can wear myopia
glasses inside



Protect against wind
and shock



Plain PC transparent
lens



Suitable for large
face



Breathable flank
protection



Tether holes can be
tethered to prevent shedding

— • Specifications • —

Title : safety goggles

Material : Polycarbonate PC

Color : Black/Blue

Size : 150*45*120mm


Standards : European standard EN166

Weight : 28g,36g

Function : Windproof, dustproof, splashproof, shockproof

Production level : Anti-high-speed particles 45 per second impact

Application : industrial place, laboratory, outdoor sports



— • Descriptions • —



Nose Frame

Comfortable design has no pressure on the bridge of the nose

Wide vision

Large frame transparent design, practical and generous, high definition, vision up to 180 degrees wide







Humanized design

Can overlay wearing myopia glasses

Protect against wind and shock

The lens are made of PC material ,
Windproof, dustproof, splashproof,
shockproof, Anti-high-speed particles
45 per second impact






Breathable flank

Wide and breathable design on both side of frame, wearing comfortably

Tether holes design

Tether holes can be tethered to prevent shedding



Test Report

ICS LABORATORIES
 1000 Highway 100, Suite 100
 St. Catharines, Ontario L2R 6L1
 Canada

Author:
 [Signature]
 Lab Manager

Reviewed:
 [Signature]
 Lab Manager

Item	12 February 2014	12 February 2014	12 February 2014	12 February 2014	12 February 2014
Report	12 Feb 14	12 Feb 14	12 Feb 14	12 Feb 14	12 Feb 14
Page	1 of 1	1 of 1	1 of 1	1 of 1	1 of 1
1.0	1.0	1.0	1.0	1.0	1.0
2.0	2.0	2.0	2.0	2.0	2.0
3.0	3.0	3.0	3.0	3.0	3.0
4.0	4.0	4.0	4.0	4.0	4.0
5.0	5.0	5.0	5.0	5.0	5.0
6.0	6.0	6.0	6.0	6.0	6.0
7.0	7.0	7.0	7.0	7.0	7.0
8.0	8.0	8.0	8.0	8.0	8.0
9.0	9.0	9.0	9.0	9.0	9.0
10.0	10.0	10.0	10.0	10.0	10.0
11.0	11.0	11.0	11.0	11.0	11.0
12.0	12.0	12.0	12.0	12.0	12.0
13.0	13.0	13.0	13.0	13.0	13.0
14.0	14.0	14.0	14.0	14.0	14.0
15.0	15.0	15.0	15.0	15.0	15.0
16.0	16.0	16.0	16.0	16.0	16.0
17.0	17.0	17.0	17.0	17.0	17.0
18.0	18.0	18.0	18.0	18.0	18.0
19.0	19.0	19.0	19.0	19.0	19.0
20.0	20.0	20.0	20.0	20.0	20.0
21.0	21.0	21.0	21.0	21.0	21.0
22.0	22.0	22.0	22.0	22.0	22.0
23.0	23.0	23.0	23.0	23.0	23.0
24.0	24.0	24.0	24.0	24.0	24.0
25.0	25.0	25.0	25.0	25.0	25.0
26.0	26.0	26.0	26.0	26.0	26.0
27.0	27.0	27.0	27.0	27.0	27.0
28.0	28.0	28.0	28.0	28.0	28.0
29.0	29.0	29.0	29.0	29.0	29.0
30.0	30.0	30.0	30.0	30.0	30.0
31.0	31.0	31.0	31.0	31.0	31.0
32.0	32.0	32.0	32.0	32.0	32.0
33.0	33.0	33.0	33.0	33.0	33.0
34.0	34.0	34.0	34.0	34.0	34.0
35.0	35.0	35.0	35.0	35.0	35.0
36.0	36.0	36.0	36.0	36.0	36.0
37.0	37.0	37.0	37.0	37.0	37.0
38.0	38.0	38.0	38.0	38.0	38.0
39.0	39.0	39.0	39.0	39.0	39.0
40.0	40.0	40.0	40.0	40.0	40.0
41.0	41.0	41.0	41.0	41.0	41.0
42.0	42.0	42.0	42.0	42.0	42.0
43.0	43.0	43.0	43.0	43.0	43.0
44.0	44.0	44.0	44.0	44.0	44.0
45.0	45.0	45.0	45.0	45.0	45.0
46.0	46.0	46.0	46.0	46.0	46.0
47.0	47.0	47.0	47.0	47.0	47.0
48.0	48.0	48.0	48.0	48.0	48.0
49.0	49.0	49.0	49.0	49.0	49.0
50.0	50.0	50.0	50.0	50.0	50.0
51.0	51.0	51.0	51.0	51.0	51.0
52.0	52.0	52.0	52.0	52.0	52.0
53.0	53.0	53.0	53.0	53.0	53.0
54.0	54.0	54.0	54.0	54.0	54.0
55.0	55.0	55.0	55.0	55.0	55.0
56.0	56.0	56.0	56.0	56.0	56.0
57.0	57.0	57.0	57.0	57.0	57.0
58.0	58.0	58.0	58.0	58.0	58.0
59.0	59.0	59.0	59.0	59.0	59.0
60.0	60.0	60.0	60.0	60.0	60.0
61.0	61.0	61.0	61.0	61.0	61.0
62.0	62.0	62.0	62.0	62.0	62.0
63.0	63.0	63.0	63.0	63.0	63.0
64.0	64.0	64.0	64.0	64.0	64.0
65.0	65.0	65.0	65.0	65.0	65.0
66.0	66.0	66.0	66.0	66.0	66.0
67.0	67.0	67.0	67.0	67.0	67.0
68.0	68.0	68.0	68.0	68.0	68.0
69.0	69.0	69.0	69.0	69.0	69.0
70.0	70.0	70.0	70.0	70.0	70.0
71.0	71.0	71.0	71.0	71.0	71.0
72.0	72.0	72.0	72.0	72.0	72.0
73.0	73.0	73.0	73.0	73.0	73.0
74.0	74.0	74.0	74.0	74.0	74.0
75.0	75.0	75.0	75.0	75.0	75.0
76.0	76.0	76.0	76.0	76.0	76.0
77.0	77.0	77.0	77.0	77.0	77.0
78.0	78.0	78.0	78.0	78.0	78.0
79.0	79.0	79.0	79.0	79.0	79.0
80.0	80.0	80.0	80.0	80.0	80.0
81.0	81.0	81.0	81.0	81.0	81.0
82.0	82.0	82.0	82.0	82.0	82.0
83.0	83.0	83.0	83.0	83.0	83.0
84.0	84.0	84.0	84.0	84.0	84.0
85.0	85.0	85.0	85.0	85.0	85.0
86.0	86.0	86.0	86.0	86.0	86.0
87.0	87.0	87.0	87.0	87.0	87.0
88.0	88.0	88.0	88.0	88.0	88.0
89.0	89.0	89.0	89.0	89.0	89.0
90.0	90.0	90.0	90.0	90.0	90.0
91.0	91.0	91.0	91.0	91.0	91.0
92.0	92.0	92.0	92.0	92.0	92.0
93.0	93.0	93.0	93.0	93.0	93.0
94.0	94.0	94.0	94.0	94.0	94.0
95.0	95.0	95.0	95.0	95.0	95.0
96.0	96.0	96.0	96.0	96.0	96.0
97.0	97.0	97.0	97.0	97.0	97.0
98.0	98.0	98.0	98.0	98.0	98.0
99.0	99.0	99.0	99.0	99.0	99.0
100.0	100.0	100.0	100.0	100.0	100.0

TEST CONDITIONS

1.0

2.0

3.0

4.0

5.0

6.0

7.0

8.0

9.0

10.0

11.0

12.0

13.0

14.0

15.0

16.0

17.0

18.0

19.0

20.0

21.0

22.0

23.0

24.0

25.0

26.0

27.0

28.0

29.0

30.0

31.0

32.0

33.0

34.0

35.0

36.0

37.0

38.0

39.0

40.0

41.0

42.0

43.0

44.0

45.0

46.0

47.0

48.0

49.0

50.0

51.0

52.0

53.0

54.0

55.0

56.0

57.0

58.0

59.0

60.0

61.0

62.0

63.0

64.0

65.0

66.0

67.0

68.0

69.0

70.0

71.0

72.0

73.0

74.0

75.0

76.0

77.0

78.0

79.0

80.0

81.0

82.0

83.0

84.0

85.0

86.0

87.0

88.0

89.0

90.0

91.0

92.0

93.0

94.0

95.0

96.0

97.0

98.0

99.0

100.0

All the test items are **qualified**

Related Products



