

**Óculos de segurança à prova de choque à prova de vento
óculos de proteção**

Protect against wind and shock

Comfortable design has no pressure on the bridge of the nose



— • Why Choose Us • —



Can wear myopia glasses inside



Protect against wind and shock



Plain PC transparent lens



Suitable for large face



Breathable flank protection



Tether holes can be tethered to prevent shedding

— • Specifications • —

Title : safety goggles

Material : Polycarbonate PC

Color : Black/Blue

Size : 150*45*120mm


Standards : European standard EN166

Weight : 28g,36g

Function : Windproof, dustproof, splashproof, shockproof

Production level : Anti-high-speed particles 45 per second impact

Application : industrial place, laboratory, outdoor sports



— • Descriptions • —



Nose Frame

Comfortable design has no pressure on the bridge of the nose

Wide vision

Large frame transparent design, practical and generous, high definition, vision up to 180 degrees wide







Humanized design

Can overlay wearing myopia glasses

Protect against wind and shock


The lens are made of PC material , Windproof, dustproof, splashproof, shockproof, Anti-high-speed particles 45 per second impact





Breathable flank

Wide and breathable design on both side of frame, wearing comfortably



Tether holes design

Tether holes can be tethered to prevent shedding

Test Report



ICS LABORATORIES
1000 Lakeshore Blvd. E.
Unit 100
Scarborough, ON M1S 4T6
Canada

Customer:
[Signature]
Customer Manager

Product:
[Signature]
Product Manager

At Request on receipt of order in the ICS Laboratory from your authorized representative.
In the absence of the test report you requested. Reproduction of the report is prohibited except in full and under agreement in writing to ICS Laboratories Inc.
If this information is not used, the user assumes all the responsibility for the safety of the product and for the use of the product in the field.
If these conditions are not met, the user assumes all the responsibility for the safety of the product and for the use of the product in the field.
If these conditions are not met, the user assumes all the responsibility for the safety of the product and for the use of the product in the field.
If these conditions are not met, the user assumes all the responsibility for the safety of the product and for the use of the product in the field.

ICS Laboratories Inc. 1000 Lakeshore Blvd. E. Unit 100 Scarborough, ON M1S 4T6 Canada
Phone: 416-291-2100 Fax: 416-291-2101

Ref.	Customer Ref.	Ref.	Customer Ref.	Ref.	Customer Ref.	Ref.	Customer Ref.	Ref.	Customer Ref.
001	001	001	001	001	001	001	001	001	001
002	002	002	002	002	002	002	002	002	002
003	003	003	003	003	003	003	003	003	003
004	004	004	004	004	004	004	004	004	004
005	005	005	005	005	005	005	005	005	005
006	006	006	006	006	006	006	006	006	006
007	007	007	007	007	007	007	007	007	007
008	008	008	008	008	008	008	008	008	008
009	009	009	009	009	009	009	009	009	009
010	010	010	010	010	010	010	010	010	010

IN LAB COMMENTS:

1. The test results are in accordance with the requirements of the standard.
2. The test results are in accordance with the requirements of the standard.
3. The test results are in accordance with the requirements of the standard.
4. The test results are in accordance with the requirements of the standard.
5. The test results are in accordance with the requirements of the standard.
6. The test results are in accordance with the requirements of the standard.
7. The test results are in accordance with the requirements of the standard.
8. The test results are in accordance with the requirements of the standard.
9. The test results are in accordance with the requirements of the standard.
10. The test results are in accordance with the requirements of the standard.

ICS Laboratories Inc. 1000 Lakeshore Blvd. E. Unit 100 Scarborough, ON M1S 4T6 Canada
Phone: 416-291-2100 Fax: 416-291-2101

All the test items are **qualified**

Related Products



